

First Name: _____

Last Name: _____

1588-59 - Cumulative Review

Part 1: Chapter 4 - Exponent Laws

Q1: Simplify $x^2(3x^4)^2$

$$x^2 \cdot 3^2 \cdot x^8$$

$$3^2 x^{10}$$

$$\boxed{9x^{10}}$$

Q2: Simplify $\frac{(x^2y^3 \cdot x^6)^2}{x^5} = \frac{(x^8y^3)^2}{x^5} = \frac{x^{16}y^6}{x^5} = \boxed{x^{11}y^6}$

Part 2: Chapter 4 - Integral Exponents

Q3: Simplify $(x^{-2}y^5)^{-2}$ using only positive exponents

$$x^{+4}y^{-10} = \boxed{\frac{x^4}{y^{10}}}$$

Q4: Simplify $\frac{(2x^2)^{-3}x^4}{2x^{-5}}$ using only positive exponents

$$\frac{2^{-3}x^{-6}x^4}{2x^{-5}} = \frac{x^4 \cdot x^5}{2 \cdot 2^3 \cdot x^6} = \frac{x^9}{2^4 x^6} = \frac{x^3}{2^4} = \boxed{\frac{x^3}{16}}$$

KEY

Part 3: Chapter 4 - Rational Laws

Q5: Simplify $\frac{x^{\frac{1}{2}}}{x^{-\frac{2}{3}}}$ using only positive exponents

$$\frac{x^{\frac{1}{2}} \cdot x^{\frac{2}{3}}}{1} = x^{\frac{1}{2} + \frac{2}{3}} = x^{\frac{3}{6} + \frac{4}{6}} = \boxed{x^{\frac{7}{6}}}$$

Q6: Simplify $\frac{(x^{\frac{1}{3}})^{-\frac{3}{4}}}{x^{-\frac{5}{6}}}$ using only positive exponents

$$\frac{x^{-\frac{1}{4}}}{x^{-\frac{5}{6}}} = \frac{x^{\frac{5}{6}}}{x^{\frac{1}{4}}} = x^{\frac{5}{6} - \frac{1}{4}} = x^{\frac{10}{12} - \frac{3}{12}} = \boxed{x^{\frac{7}{12}}}$$


Part 4: Chapter 4 - Entire to Mixed Radicals

Q7: Convert $\sqrt{24x^5y^4}$ to a mixed radical

$$\sqrt{2 \cdot 2 \cdot 3 \cdot x^2 \cdot x^2 \cdot x \cdot y^2 \cdot y^2}$$

$$2 \cdot x \cdot x \cdot y \cdot y \sqrt{2 \cdot 3 \cdot x}$$

$$\boxed{2x^2y^2\sqrt{6x}}$$




Q8: Convert $\sqrt[3]{16x^8y^2z^6}$ to a mixed radical

$$\sqrt[3]{2^3 \cdot 2 \cdot x^3 \cdot x^3 \cdot x^2 \cdot y^2 \cdot z^3 \cdot z^3}$$

$$2 \cdot x \cdot x \cdot z \cdot z \sqrt[3]{2x^2y^2}$$

$$\boxed{2x^2z^2\sqrt[3]{2x^2y^2}}$$



Part 5: Chapter 4 - Mixed to Entire Radicals

Q9: Convert $5x^2y\sqrt{5x}$ to an entire radical

$$\begin{aligned} & \sqrt{(5x^2y)^2 \sqrt{5x}} \\ & \sqrt{25x^4y^2 \sqrt{5x}} \\ & \sqrt{125x^5y^2} \end{aligned}$$

Q10: Convert $4x^2y\sqrt[3]{2x^2y}$ to an entire radical

$$\begin{aligned} & \sqrt[3]{(4x^2y)^3 \sqrt[3]{2x^2y}} \\ & \sqrt[3]{64x^6y^3 \sqrt[3]{2x^2y}} \\ & \sqrt[3]{128x^8y^4} \end{aligned}$$

Part 6: Chapter 4 - Radicals to Exponents, Exponents to Radicals

Q11: Convert $5x^2\sqrt[3]{5x}$ to an exponent

$$\begin{aligned} & 5x^2(5x)^{1/3} \\ & 5x^2 \cdot 5^{1/3} \cdot x^{1/3} \\ & 5^{1+1/3} \cdot x^{2+1/3} \\ & \boxed{5^{4/3} \cdot x^{7/3}} \end{aligned}$$

Q12: Convert $7^{2/3}x^{4/3}$ to a mixed radical

$$\begin{aligned} & 7^{2/3} \cdot x^{4/3} \\ & (7^2 \cdot x^4)^{1/3} \\ & \sqrt[3]{7^2 \cdot x^4} \\ & \sqrt[3]{7^2 \cdot x^3 \cdot x} \\ & x \sqrt[3]{7^2 \cdot x} \quad \text{or} \quad \boxed{x \sqrt[3]{49x}} \end{aligned}$$

Part 7: Chapter 4 - Exponential Growth and Decay

Q13: Initially there are 200 bacteria in a sample. Every 5 hours the bacteria double. How many bacteria after 18 hours?

$$y = a(b)^{x/t}$$

$$y = 200(2)^{18/5}$$

$$y = 200(2)^{3.6}$$

$$y = 200(12.1257\dots)$$

$$y = 2425 \text{ bacteria}$$

Q14: Initially there are 500g of Carbon-14 in a sample. Every 5730 years the amount of Carbon-14 halves. How much Carbon-14 exists after 12,000 years?

$$y = a(b)^{x/t}$$

$$y = 500(0.5)^{\frac{12000}{5730}}$$

$$y = 500(0.5)^{2.094}$$

$$y = 500(0.23419\dots)$$

$$y = 117.1 \text{ grams of Carbon-14 left}$$

Part 8: Chapter 5 - Multiplying Polynomials

Q15: Simplify $(x - 5)(2x + 1)$

$$2x^2 + 1x - 10x - 5$$

$$2x^2 - 9x - 5$$

Q16: Simplify $(x - 5)^2 - (x + 2)(x - 3)$

$$(x-5)(x-5) - (x+2)(x-3)$$

$$(x^2 - 5x - 5x + 25) - (x^2 - 3x + 2x - 6)$$

$$(x^2 - 10x + 25) - (x^2 - x - 6)$$

$$\underline{x^2} - \underline{10x} + \underline{25} - \underline{x^2} + \underline{x} + \underline{6}$$

$$-9x + 31$$

Part 9: Chapter 5 - Common Factors

Q17: Common factor $2x^2y - 8xy$

$$2xy(x - 4)$$

Q18: Common factor $27x^2(y - 3) + 3x(y - 3)$

$$3x(y - 3)[9x + 1]$$

Part 10: Chapter 5 - Factoring Trinomials (a=1)

Q19: Factor $x^2 + 2x - 24$



$$(x - 4)(x + 6)$$

$$\begin{array}{l} -4 \quad +6 \\ \square + \square = 2 \\ \square \times \square = -24 \end{array}$$

- 1, 24
- 2, 12
- 3, 8
- 4, 6

Q20: Factor $2x^3 + 10x^2 - 48x$

$$2x(x^2 + 5x - 24)$$



$$2x(x - 3)(x + 8)$$

$$\begin{array}{l} -3 \quad +8 \\ \square + \square = 5 \\ \square \times \square = -24 \end{array}$$

- 1, 24
- 2, 12
- 3, 8
- 4, 6

Part 11: Chapter 5 - Factoring Trinomials (a>1)

Q21: Factor $2x^2 + x - 3$

$$\begin{array}{l} -2 \quad + \\ \square + \square = 1 \\ \square \times \square = -6 \end{array} \quad \begin{array}{l} 1, 6 \\ 2, 3 \end{array}$$



$$\begin{aligned} &2x^2 - 2x + 3x - 3 \\ &(2x^2 - 2x) + (3x - 3) \\ &2x(x-1) + 3(x-1) \\ &\boxed{(x-1)(2x+3)} \end{aligned}$$

Q22: Factor $6x^2 - 11x - 10$

$$\begin{array}{l} +4 \quad -15 \\ \square + \square = -11 \\ \square \times \square = -60 \end{array} \quad \begin{array}{l} 1, 60 \\ 2, 30 \\ 3, 20 \\ 4, 15 \\ 5, 12 \\ 6, 10 \end{array}$$



$$\begin{aligned} &6x^2 + 4x - 15x - 10 \\ &(6x^2 + 4x) + (-15x - 10) \\ &2x(3x+2) - 5(3x+2) \\ &\boxed{(3x+2)(2x-5)} \end{aligned}$$

Part 12: Chapter 5 - Factoring Special Trinomials

Q23: Factor $9x^2 - 16$


$$(3x+4)(3x-4)$$

Q24: Factor $3x^3y - 75xy$

$$\begin{aligned} &3xy(x^2 - 25) \\ &\boxed{3xy(x+5)(x-5)} \end{aligned}$$

Part 13: Chapter 5 - Word Problems

Use the following information to answer Q25-Q26:



Q25: What is the perimeter of the fence?

$$P = (x) + (40-x) + (x) + (40-x)$$

$$P = 80$$

Q26: What is the area surrounded by the fence?


$$A = Lw$$

$$A = (x)(40-x)$$

$$A = 40x - x^2$$

Part 14: Chapter 6 - Domain and Range

Use the following information to answer Q27-Q28:



Q27: Write the Domain in Set Notation.

$$\{x \mid 2 \leq x < 6, x \in \mathbb{R}\}$$

Q28: Write the Range in Interval Notation.

$$(1, 5]$$

Part 15: Chapter 6 - Function Notation

Use the following information to answer Q29-Q30:

$f(x) = \frac{2}{3}x - \frac{5}{3}$	$g(x) = \frac{1}{2}x - 6$
-------------------------------------	---------------------------

Q29: What is $f(7)$ =?

$$\begin{aligned} f(7) &= \frac{2}{3}(7) - \frac{5}{3} \\ &= \frac{14}{3} - \frac{5}{3} \\ &= \frac{9}{3} \\ \boxed{f(7) = 3} \end{aligned}$$

Q30: If $g(x) = 10$, then $x =$?

$$\begin{aligned} g(x) &= \frac{1}{2}x - 6 \\ 10 &= \frac{1}{2}x - 6 \\ +6 & \quad +6 \\ 16 &= \frac{1}{2}x \\ \times 2 & \quad \times 2 \\ \boxed{32 = x} \end{aligned}$$


Part 16: Chapter 7 - Graphing

Q31: Graph the line $(y + 2) = \frac{1}{3}(x - 5)$

$$\begin{aligned} (y - 2) &= \frac{1}{3}(x - 5) \\ \text{Point } &(5, -2) \end{aligned}$$

Q32: Graph the line perpendicular to $y = \frac{3}{2}x + 1$ that passes through the point (1,1).

$$m_{\text{original}} = \frac{3}{2} \quad m_{\text{perp}} = -\frac{2}{3}$$



Part 19: Chapter 9 – Solving Systems of Equations using Algebra

Q37: Solve using Substitution:

$$\begin{aligned}
 x + 3y - 9 &= 0 & y &= -2x + 8 \\
 x + 3y - 9 &= 0 \\
 x + 3(-2x + 8) - 9 &= 0 & y &= -2x + 8 \\
 x - 6x + 24 - 9 &= 0 & y &= -2(3) + 8 \\
 -5x + 15 &= 0 & y &= -6 + 8 \\
 -5x &= -15 & y &= 2 \\
 \div(-5) &\div(-5) & & \\
 x &= 3 & \text{Soln is } & \boxed{(3, 2)}
 \end{aligned}$$

Q38: Solve using Elimination:

$$\begin{aligned}
 x - y - 2 &= 0 & 3x + 2y - 4 &= 0 \\
 2(x - y - 2) &= 0 & & \\
 2x - 2y - 4 &= 0 & & \\
 3x + 2y - 4 &= 0 & & \\
 \hline
 5x & - 8 & = & 0 \\
 5x - 8 &= 0 & & \\
 + 8 & + 8 & & \\
 5x &= 8 & & \\
 \div 5 & \div 5 & & \\
 x &= 8/5 & \rightarrow & \\
 x - y - 2 &= 0 & & \\
 (8/5) - y - 2 &= 0 & & \\
 + y & + y & & \\
 8/5 - 2 &= y & & \\
 -2/5 &= y & \rightarrow & \text{Soln is } \boxed{(8/5, -2/5)}
 \end{aligned}$$

Part 20: Chapter 9 – Word Problems Involving Systems of Equations

Q39: Dan and Dillon go to the fair and buy snacks. Dan buys 3 hotdogs and 2 bags of chips for \$7.75. Dillon buys 2 hotdogs and 5 bags of chips for \$9.75. What is the cost of a hotdog? What is the cost of a bag of chips?

Let x = hotdog cost
 y = chip cost

$$\begin{aligned}
 2(3x + 2y) &= 7.75 & \rightarrow & 6x + 4y = 15.50 \\
 3(2x + 5y) &= 9.75 & \rightarrow & -(6x + 15y = 29.25) \\
 \hline
 -11y &= -13.75 & & \\
 \div(-11) & \div(-11) & & \\
 y &= 1.25 & & \\
 2x + 5(1.25) &= 9.75 & & \\
 2x + 6.25 &= 9.75 & & \\
 -6.25 & -6.25 & & \\
 2x &= 3.5 & & \\
 \div 2 & \div 2 & & \\
 x &= 1.75 & &
 \end{aligned}$$

Hotdogs cost \$1.75, Chips cost \$1.25.

Q40: Sam and Dillon also buy beverages. Dan buys 2 coffees and 1 soda for \$2.80. Dillon buys 1 coffee and 4 sodas for \$5.25. What is the cost of a coffee? What is the cost of a soda?

Let x = cost of coffee
 y = cost of soda

$$\begin{aligned}
 2x + 1y &= 2.80 & \rightarrow & 2x + y = 2.80 \\
 2(1x + 4y) &= 5.25 & \rightarrow & -(2x + 8y = 10.50) \\
 \hline
 -7y &= -7.7 & & \\
 \div(-7) & \div(-7) & & \\
 y &= 1.10 & & \\
 1x + 4y &= 5.25 & & \\
 1x + 4(1.10) &= 5.25 & & \\
 x + 4.40 &= 5.25 & & \\
 -4.40 & -4.40 & & \\
 x &= 0.85 & & \\
 \text{Cost of coffee is } & \boxed{\$0.85} & & \\
 \text{Cost of soda is } & \boxed{\$1.10} & &
 \end{aligned}$$