

First Name: \_\_\_\_\_


Last Name: \_\_\_\_\_

**L10 – Worksheet – Pulleys and Blocks**

**/12 marks**

**Part 1: Systems with Pulleys**

Use the following information to answer Q1:



**Q1: (Long Answer)** What is the coefficient of kinetic friction between the 20kg block and the table? (3 marks)

3

$$F_{net} = F_{g_{10}} + F_{f_{20}} + F_{g_6}$$

$$0 = 98.1 + F_{fk} + (-58.86)$$


$$\textcircled{1} \quad \boxed{F_{fk} = -39.24 \text{ N [forward]}}$$

$$F_f = \mu_k F_N$$

$$39.24 \text{ N} = \mu_k (196.2 \text{ N})$$

$$\textcircled{1} \quad \boxed{\mu_k = 0.20}$$

Use the following information to answer Q2 – Q4:



**Q2:** The directions of force and force components can be described using the numbers given above.

<b>Direction:</b>	<u>5</u>	<u>3</u>	<u>6</u>	<u>5</u>
<b>Force:</b>	Normal Force on 5kg Box	Friction on 5kg	Direction of acceleration of the 12kg block	Direction of Force of Tension on 12kg block

(Record your **four digit** answer in the Numerical Response boxes below)

5	3	6	5
---	---	---	---

KEY

Q3: What is the acceleration of the system?

- a. 3.46 m/s<sup>2</sup>
- b. 4.91 m/s<sup>2</sup>
- c. 6.92 m/s<sup>2</sup>
- d. 11.8 m/s<sup>2</sup>

$$F_{\text{net}} = F_{g12} + F_{f5}$$

$$= (+117.72) + (-58.86)$$

$$= 58.86 \text{ N}$$


$$\vec{a} = \frac{\vec{F}_{\text{net}}}{m} = \frac{58.86 \text{ N}}{17 \text{ kg}} = 3.46 \text{ m/s}^2$$

Q4: The tension in the rope is  $a.bc \times 10^d$  N, where  $a$ ,  $b$ ,  $c$ , and  $d$  are \_\_, \_\_, \_\_, and \_\_.

(Record your four digit answer in the Numerical Response boxes below)

7 6 2 1

Option #1



$$F_{\text{net}} = ma$$

$$= (12)(3.46)$$

$$= 41.55 \text{ N}$$


$$F_{\text{net}} = F_g + F_T$$

$$41.55 = 117.72 + F_T$$

$$F_T = 76.17 \text{ N}$$

↑  
↓  
+

Option #2



$$F_{\text{net}} = ma$$

$$= (5)(3.46)$$

$$= 17.31 \text{ N}$$

$$F_{\text{net}} = F_T + F_f$$

$$17.31 = F_T + (-58.86)$$

$$F_T = 76.17 \text{ N}$$

Scientific Notation

$$F_T = 76.17 \text{ N}$$

$$= 7.617 \times 10^1 \text{ N}$$

$$\approx 7.62 \times 10^1$$

$$a.bc \times 10^d$$


7 6 2 1

KEY

Part 2: Blocks Pushing Blocks

Use the following information to answer Q5 and Q6:

A person applies an unknown force to Block A, accelerating the entire system at a rate of  $0.65 \text{ m/s}^2$ . Block A has a mass of  $50 \text{ kg}$ , and Block B has a mass of  $120 \text{ kg}$ , and the coefficient of friction between the blocks and the floor is  $0.38$ .



Q5: In order to accelerate the system at a rate of  $0.65 \text{ m/s}^2$ , the person must have applied a force of

- a. 110.5 N
- b. 296.9 N
- c. 523.2 N
- d. 744.2 N

$$\begin{aligned}
 & \leftarrow F_f \quad \boxed{\text{system } 170 \text{ kg}} \quad F_{\text{app}} \rightarrow \\
 F_f &= \mu \times F_N \\
 &= (0.38)(1667.7 \text{ N}) \\
 &= 633.726 \text{ N}
 \end{aligned}$$

$$\begin{aligned}
 F_{\text{net}} &= ma \\
 &= (170 \text{ kg})(0.65 \text{ m/s}^2) \\
 &= 110.5 \text{ N}
 \end{aligned}$$

$$\begin{aligned}
 F_{\text{net}} &= F_{\text{app}} + F_f \\
 110.5 &= F_{\text{app}} + (-633.726) \\
 F_{\text{app}} &= 744.226 \text{ N}
 \end{aligned}$$

Q6: The force that Block B applies to Block A is


- a. 78.0 N
- b. 369.3 N
- c. 525.3 N
- d. 711.7 N

$$\begin{aligned}
 & \leftarrow F_f \quad \boxed{\text{B } 120 \text{ kg}} \quad F_{\text{A on B}} \rightarrow \\
 F_f &= \mu \times F_N \\
 &= (0.38)(1177.2) \\
 &= 447.336 \text{ N}
 \end{aligned}$$

$$\begin{aligned}
 F_{\text{net}} &= ma \\
 &= (120 \text{ kg})(0.65 \text{ m/s}^2) \\
 &= 78 \text{ N}
 \end{aligned}$$

$$\begin{aligned}
 F_{\text{net}} &= F_{\text{A on B}} + F_f \\
 78 \text{ N} &= F_{\text{A on B}} + (-447.336 \text{ N}) \\
 F_{\text{A on B}} &= 525.336 \text{ N}
 \end{aligned}$$

Use the following information to answer Q7:



**Q7:** Match the numbers of the regions in the Venn diagram above with the descriptions given below.

- |                     |   |  |   |   |
|---------------------|---|--|---|---|
| <b>Region:</b>      | <u>2</u>  | <u>3</u>   | <u>3</u>                                  | <u>1</u>  |
| <b>Description:</b> | The entire system and individual items accelerate at the same rate. | The entire system and individual items accelerate in the same direction. | Friction acts on all items in the system. | Internal forces between items can be described as “pulls” rather than “pushes”. |


(Record your **four digit** answer in the Numerical Response boxes below)

2	3	3	1
---	---	---	---

# KEY

Use the following information to answer Q8:

A person pushes a series of boxes with a force of 200 N [Right]. Assume that the surface is frictionless.




Q8: (Long Answer) What is the force (magnitude and direction) that Block A applies to Block B? (3 marks)

System

$$\vec{a} = \frac{\vec{F}_{\text{net}}}{m} = \frac{200 \text{ N}}{90 \text{ kg}} = 2.2 \text{ m/s}^2 \text{ [R]} \quad (1)$$

Block A



$$\begin{aligned} F_{\text{net}} &= ma \\ &= (20 \text{ kg})(2.2 \text{ m/s}^2) = 44.4 \text{ N} \end{aligned}$$

$$\begin{aligned} F_{\text{net}} &= F_{\text{app}} + F_{\text{B on A}} \\ (+44.4 \text{ N}) &= (+200 \text{ N}) + F_{\text{B on A}} \\ F_{\text{B on A}} &= -155.5 \text{ N [R]} \\ &= 155.5 \text{ N [L]} \end{aligned}$$

$$\boxed{F_{\text{A on B}} = 155.5 \text{ N [R]} \quad (2)}$$