

First Name: _____

Last Name: _____

L11 - Adding Vectors in 2-Dimensions - Formative Quiz

Use the following information to answer Q1-Q3:

A bank robber sprints 50m [40° N of E] through a park, then turns and runs 200m [E] down an alley before being tackled by Batman.




Q1: When running down the alley, which best describes the x- and y-component of the robber's displacement?

	x-component	y-component
A.	+0	+200
B.	+200	+0
C.	+32.14	+38.30
D.	+38.30	+32.14

	x-comp	y-comp
	$\cos \theta = \frac{a}{h}$ $\cos 40 = \frac{d_{1x}}{50}$ $d_{1x} = +38.30$	$\sin \theta = \frac{a}{h}$ $\sin 40 = \frac{d_{1y}}{50}$ $d_{1y} = +32.14$
	$d_{2x} = +200$	$d_{2y} = +0$
\vec{d}_{TOT}	$d_{TOTx} = +238.30$	$d_{TOTy} = +32.14$

Q2: The total distance the robber ran is

- a. 240.5 m
 - b. 250.0 m**
 - c. 260.8 m
 - d. 270.4 m
- Not displacement
 $d_{TOT} = d_1 + d_2$
 $= 50 + 200$
 $= 250 \text{ m}$



$\vec{d}_{TOT} = 240.46 \text{ m } [7.68 \text{ N of E}]$

Q3: If Batman had glided from the robber's initial position directly to the robber's final position, then Batman would have to glide at an angle of ___ degrees North of East.


(Record your three-digit answer in the Numerical Response boxes below)

7	.	6	8
---	---	---	---

■ KEY ■

Use the following information to answer Q4:


A swimmer needs to cross a river as quickly as possible. The swimmer's speed in still water is 1.35m/s. The river's current speed is 0.60m/s and the river is 106.68m wide. The swimmer swims so that his body is pointed horizontally while crossing, and the current carries him downstream.



Q4: The swimmer's net velocity, relative to the shore, is $a.b$ m/s [ef° S of E], where a , b , e , and f are and .

(Record your four-digit answer in the Numerical Response boxes below)

1 5 2 4



$$a^2 + b^2 = c^2$$
$$c = 1.477 \text{ m/s}$$

$$\tan \theta = \frac{b}{a}$$
$$\theta = \tan^{-1} \left(\frac{0.6}{1.35} \right)$$

$$\theta = 23.96^\circ$$

$$\vec{v}_{\text{TOT}} = 1.477 \text{ m/s } [23.96^\circ \text{ S of E}]$$



$$\vec{v}_{\text{TOT}} \approx 1.5 \text{ m/s } [24^\circ \text{ S of E}]$$

a.b cd°


Q5: John jogs at 2.6 m/s [30° N of E] for 100 seconds, then turns and runs at 5.4 m/s [80° N of E] for 60 seconds. What is John's total displacement? (2 marks)

$$2.6 \text{ m/s} \times 100 \text{ s} = 260 \text{ m}$$

$$5.4 \text{ m/s} \times 60 \text{ s} = 324 \text{ m}$$



Vector	x-Component	y-Component	<u>OPTIONAL</u> Unit Vectors
	$\cos \theta = \frac{a}{h}$ $\cos 30 = \frac{dx}{260}$ $dx = +225.17$	$\sin \theta = \frac{b}{h}$ $\sin 30 = \frac{dy}{260}$ $dy = +130.00$	$\vec{\Delta d}_1 = 225.17 \hat{i} + 130.00 \hat{j}$
	$\cos \theta = \frac{a}{h}$ $\cos 80 = \frac{dx}{324}$ $dx = +56.26$	$\sin \theta = \frac{b}{h}$ $\sin 80 = \frac{dy}{324}$ $dy = +319.08$	$\vec{\Delta d}_2 = 56.26 \hat{i} + 319.08 \hat{j}$
Resultant	$d_{\text{TOT}x} = 281.43$	$d_{\text{TOT}y} = 449.08$	$\Delta d_{\text{TOT}} = 281.43 \hat{i} + 449.08 \hat{j}$



Mag

$$a^2 + b^2 = c^2$$

$$c = 529.98$$

Angle

$$\tan \theta = \frac{b}{a}$$

$$\theta = \tan^{-1} \left(\frac{449.08}{281.43} \right)$$

$$\theta = 57.93^\circ \text{ N of E}$$

$$\Delta \vec{d} = 529.98 \text{ m } [57.93^\circ \text{ N of E}]$$

MARKING

Beginning	0.0 – 3.0
Progressing	3.5 – 4.5
Competent	5.0 – 6.5
Exemplary	7.0
